



Brian Hoffmann

Government Accounts Manager

SYS-TEC
CORPORATION



SYS-TEC Corporation

- ◆ Providing mobile enterprise solutions for over 14 years
- ◆ 35 employees, privately held
- ◆ Government emphasis
- ◆ Fortune 1000 clients in all vertical industries
- ◆ 300+ installations worldwide

www.sys-tec.com



Labelase 1000



[www.sys-
tec.com](http://www.sys-tec.com)

Design Features of LabeLase 1000



- Footprint of Desktop Printer
- Portable
- Plug and Play
- Human Readable, Linear Bar Code, 2D, and Bitmaps
- Powerful Yet Easy Software
- Quiet Operation
- Continuous Roll or Single Tag

Specifications of Labelase 1000



- 22" x 9" x 8"
- Weighs less than 40 lbs
- 100-240 VAC, 50/60Hz, 2.4A
- Pulsed CO2 Laser (Class 1 Safety Rating)
- 15K Operating Hours (approx. 5M Tag Inches)
- Serial Interface
 - USB & Palm Interface Optional

Design Features of PermaLabel Tags

- **Mar-Proof Anodized Aluminum Tags**
- **Attached with Adhesives, Riveting or Welding**
- **Standard 300 ft (90m) Roll Continuous Tag Stock**
- **Pre-nick & Notched for Easy Break off after Printing**
- **Tag Dimensions**
 - **3 Inch Width**
 - **.375 to 24 Inch Length**



PermaLabel Specifications

- Scuff Proof, UV Stable, & WX Resistant
- Temperature Range
 - 1000 F 48+hours to -22 F
- HP Caustic Washing up to 1015 psi
- Chemical & Solvent Resistant
 - Gasoline, Brake Fluid, Motor Oil, Potassium Hydroxide, Sodium Hydroxide, Ammonium Chloride...

www.sys-

tec.com



Labelase 1000

Oregon State University

**Dept of Industrial &
Manufacturing Engineering**

Testing 75% complete

Results will be available in June